# Appendix F: Air Emissions Calculations

#### APPENDIX F: DETAILED AIR QUALITY REPORT

#### 1. General Information

This report includes the details of equations, inputs, and outputs from the air quality analysis. It is based on the use of the ACAM model and much is a direct output of that model.

#### **Action Location**

**Base:** EIELSON AFB

County(s): Fairbanks North Star Borough

Regulatory Area(s): NOT IN A REGULATORY AREA

**Action Title:** Add F-35As to Existing Missions at Eielson AFB

Project Number/s (if applicable): None

**Projected Action Start Date:** 1 / 2016

#### **Action Purpose and Need:**

To maintain capable ready forces required for national defense, the Air Force must integrate the F-35A mission while transitioning from legacy fighter aircraft programs. The purpose of the Proposed Action is to maintain efficient and effective combat capability and mission readiness in the PACAF AOR as the Air Force faces deployments across a spectrum of conflicts while also providing for homeland defense. Beddown and operation of the F-35A at a PACAF AOR base would represent a major step toward this goal. This beddown action assures availability of combat-ready pilots in the PACAF AOR flying the most advanced fighter aircraft in the world. The Secretary of the Air Force determined that there was a need to locate F-35A aircraft in the PACAF AOR.

#### **Action Description:**

Add two squadrons of F-35As, consisting of 48 Primary Assigned Aircraft (PAA), and 6 Backup Aircraft Inventory (i.e., replacement aircraft when a PAA is not in operation) to the existing missions of the 354th Fighter Wing at Eielson AFB. Proposed Action includes additional military and civilian personnel; increases in airfield and airspace operations; modifications and additions to existing facilities and infrastructure; and construction of new facilities to operate and maintain two F-35 squadrons.

Eielson AFB, Alaska is located in the Fairbanks-Northstar Borough. The Borough is designated partially maintenance for Carbon Monoxide and partially nonattainment for PM2.5-2006 (Fairbanks Regulatory Area). Eielson AFB is not within the boundaries of the Fairbanks Regulatory area; therefore, the base is in attainment for all criteria pollutants.

Note that all building alterations are assumed to be interior construction; therefore, no assessment was performed on these activities.

#### **Point of Contact for Initial Model Runs**

Name: James McClain

**Title:** Contractor for HQ AFCEC/CZTQ **Organization:** Solutio Environmental, Inc.

Email: jmcclain@SolutioEnv.com

**Phone Number:** (210) 740-7000

Appendix F

Activity Location
County Fairbanks North Star Borough
Regulatory Area(s) NOT IN A REGULATORY AREA

#### **Activity List**

Number	Activity Type	Activity Title	Activity Description:				
2	Personnel	Personnel Increase for FY18	Personnel increases would be incremental, happening over 2 to 3 years, typically preceding (starting in FY19) the scheduled delivery of the aircraft by several months. Aircraft are anticipated to arrive in two phases, with the first squadron starting to arrive in FY19, and the second squadron arriving in 2020. Current projections call for about a third of the F-35 personnel arriving early in FY19 (359 military/yr and 216 civilians/yr), with the remaining arriving in FY20 (717 military/yr and 434 civilians/yr).				
3	Personnel	Personnel Increase for FY20	Personnel increases would be incremental, happening over 2 to 3 years, typically preceding (starting in FY19) the scheduled delivery of the aircraft by several months. Aircraft are anticipated to arrive in two phases, with the first squadron starting to arrive in FY19, and the second squadron arriving in 2020. Current projections call for about a third of the F-35 personnel arriving early in FY19 (359 military/yr and 216 civilians/yr), with the remaining arriving in FY20 (717 military/yr and 434 civilians/yr).				
4	Aircraft	F-35A Aircraft Operations for 1st Squadron (FY19)	Ist squadrons of F-35As, consisting of 24 Primary Assigned Aircraft (PAA), and 3 Backup Aircraft Inventory (i.e., replacement aircraft when a PAA is not in operation) to the existing missions of the 354th Fighter Wing at Eielson AFB. Based on previous analyses of F-35A operations (Air Force 2014), the Proposed Action would result in the addition of approximately 4,320 sorties per year per squadron to existing base flight activities. Aircraft are anticipated to arrive in two phases, with the first squadron starting to arrive in FY19, and the second squadron arriving in 2020.				
5	Aircraft	F-35A Aircraft Operations for 2nd Squadron (FY20)	2nd squadrons of F-35As, consisting of 24 Primary Assigned Aircraft (PAA), and 3 Backup Aircraft Inventory (i.e., replacement aircraft when a PAA is not in operation) to the existing missions of the 354th Fighter Wing at Eielson AFB. Based on previous analyses of F-35A operations (Air Force 2014), the Proposed Action would result in the addition of approximately 4,320 sorties per year per squadron to existing base flight activities. Aircraft are anticipated to arrive in two phases, with the first squadron starting to arrive in FY19, and the second squadron arriving in 2020.				

Appendix F F-2

Number	Activity Type	Activity Title	Activity Description:
	Construction /	Construct 6-Bay	New construction of a 6-Bay Flight Simulator
6	Demolition	Flight Simulator	Facility. Assumed: 1 yr construction period
		Facility	
	Construction /	Construct 4-Bay	New construction for 4-Bay Hangar/Propulsion
	Demolition		Maintenance/Corrosion Control Personnel Dispatch
7		Maintenance/	
,		Corrosion Control	
		Personnel	
		Dispatch	
	Construction /	Construct 4-Bay	New construction of 4-Bay Hangar/Squadron
8	Demolition	Hangar/Squadron	Operations/AMU (Squadron 2).
		Operations/AMU	
9	Construction /	Construct 8-Bay,	New construct of 8-Bay 16-Aircraft Weather
	Demolition	16-Aircraft	Shelters.
		Weather Shelters	
		(1 of 2)	
10	Construction /	Construct 8-Bay,	New construction of a 8-Bay 16-Aircraft Weather
	Demolition	16-Aircraft	Shelters
		Weather Shelters	
		(2 of 2)	
11	Construction /	Missile	Demolish old and Construct new Missile
	Demolition	Maintenance	Maintenance Facility
		Facility	
12	Construction /	_	Demolish/Construct 6 Munitions Storage Igloos
	Demolition	Igloos	(Quarry Hill)
		(Quarry Hill)	
13	Construction /	Construct South	New construct of South Heat Plant
	Demolition	Heat Plant	
14	Construction /	Construct 200-	New construction of a 200-person dormitory
	Demolition	Person Dormitory	
	Construction /		New construction of covered parking for R-11
	Demolition	Parking for R-11	Aircraft Refueling Vehicles
15		Aircraft Refueling	
		Vehicles	
16	Aircraft	Touch & Go	
		(FY19 - indef)	
17	Aircraft	Touch & Go	
		(FY20 - indef)	

Appendix F F-3

## **General Information & Timeline Assumptions**

									Activit	y							
		2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
	Activity Type	Personnel	Personnel	Aircraft	Aircraft	Construction / Demolition	Aircraft	Aircraft									
	Add or Remove Activity from Baseline?	Add	Add	Add	Add	-	-1	-		-1-	-	-	-	-1-		Add	Add
								Star	t Date:								
	Month	10	10	1	1	1	10	9	3	3	2	1	3	3	6	1	1
	Year	2018	2019	2019	20	2016	2016	2016	2017	2017	2017	2017	2017	2017	2017	2019	2020
	End Date:				20												
	Month	(Indefinite)	(Indefinite)	(Indefinite)	(Indefinite)	12	3	3	12	12	12	12	12	12	7	(Indefinite)	(Indefinite)
	Year					2016	2018	2018	2017	2017	2017	2017	2017	2017	2017		
<i>r</i> )	VOC	1.94637	3.89612	8.77530	8.77530	0.81403	0.80932	1.07233	1.19853	1.14231	0.34422	0.36972	0.32873	0.42074	0.03977	0.00225	0.00225
Yea	SOx	0.02934	0.05874	5.58961	5.58961	0.00449	0.00447	0.00465	0.00489	0.00436	0.00303	0.00279	0.00282	0.00314	0.00045	0.56807	0.56833
(/su	NOx	1.72793	3.45887	51.00005	51.00005	2.61127	2.59655	2.44641	2.65013	2.29342	1.50368	1.37279	1.40337	1.57690	0.23457	8.05657	8.06022
(Tons/Year)	CO	31.03432	62.12261	117.63059	117.63059	2.39658	2.37205	2.48452	2.55019	2.30051	1.43065	1.33304	1.35560	1.48399	0.24752	0.44058	0.44078
) su	PM 10	0.09129	0.18273	9.64247	9.64247	0.53441	1.12380	0.88038	0.98631	0.96856	0.95433	0.29567	0.24830	0.41696	0.01328	0.71630	0.71662
sio	PM 2.5	0.04564	0.09137	8.15926	8.15926	0.14677	0.14472	0.13166	0.14016	0.12248	0.07414	0.06787	0.07025	0.07826	0.01318	0.60159	0.60187
Emissions	Pb	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
E	NH3	0.30972	0.61999	0.00000	0.00000	0.00550	0.00542	0.00671	0.00644	0.00605	0.00305	0.00302	0.00309	0.00318	0.00063	0.00000	0.00000

F-4 Appendix F

#### **Personal Assumptions**

	Acı	tivity
	2	3
Activity Type	Personnel	Personnel
Num	ber of Personnel:	
Active Duty Personnel	359	717
Civilian Personnel	216	434
Support Contractor Personnel	0	0
Air National Guard (ANG) Personnel	0	0
Reserve Personnel	0	0
Default Setting Used?	Yes	Yes
Average Personnel Round Trip Commute (mile)	20	20
Person	nel Work Schedule:	
Active Duty Personnel	5 Days Per Week	5 Days Per Week
Civilian Personnel	5 Days Per Week	5 Days Per Week
Support Contractor Personnel	5 Days Per Week	5 Days Per Week
Air National Guard (ANG) Personnel	4 Days Per Month	4 Days Per Month
Reserve Personnel	4 Days Per Month	4 Days Per Month

**Notes:** Defaults are used for Average Personnel Round Trip Commute & Personnel Work Schedule.

#### **Personnel On-Road Vehicle Mixture**

		Acti	vity		
	2	?	3		
On Road Vehicle Mixture:	POVs	GOVs	POVs	GOVs	
LDGV (%)	37.55	54.49	37.55	54.49	
LDGT (%)	60.32	37.73	60.32	37.73	
HDGV(%)	0	4.67	0	4.67	
LDDV (%)	0.03	0	0.03	0	
LDDT (%)	0.2		0.2	0	
HDDV (%)	0	3.11	0	3.11	
MC (%)	1.9	0	1.9	0	

Appendix F F-5

# **Aircraft Assumptions**

-		Acti	vity	
	4	5	16	17
F	light Engine As	sumptions:		
	Aircraft& E			
Aircraft Designation	F-35A	F-35A	F-35A	F-35A
Engine Model	F135-PW-100	F135-PW-100	F135-PW-100	F135-PW-100
Primary Function	Combat	Combat	Combat	Combat
Number of Engines	1	1	1	1
Ü	I	I	I	1
Aircraft & Engine Surrogate				
Is Aircraft & Engine a Surrogate?	No	No	No	No
Original Aircraft Name				
Original Engine Name				
Fli	ght Operations	Assumptions		
	Flight Opera	ations:		
Number of Aircraft	24	24	24	24
Number of Annual LTOs	4320	4320	0	0
(Landing and Take-off) cycles for all Aircraft				
Number of Annual TGOs (Touch-	0	0	2206	2207
and-Go) cycles for all Aircraft				
Number of Annual Trim Test(s) per Aircraft	0	0	0	0
Default Settings Used:	No	No	No	No
Flight Operations TIMs	1,0	1.0	1.0	1,0
(Time In Mode):				
Taxi/Idle Out (mins)	18.5	18.5	0	0
Takeoff (mins)	1.15	1.15	0.23	0.23
Climb Out (mins)	0	0	0.78	0.78
Approach (mins)	3.05	3.05	1.82	1.82
Taxi/Idle In (mins)	11.3	11.3	0	0
Trim Test:	11.5	11.5	0	0
	12	12	12	12
Idle (mins):	27	27	27	
Approach (mins)	·	·	·	27
Intermediate (mins)	9	9	9	9
Military (mins)	9	0	9	9
AfterBurn (mins)	3	3	3	3
	y Power Unit (A			
Default Settings Used?	Yes	Yes	No	No
Number of APU per Aircraft				
Operation Hours for Each LTO				
Exempt Source?				
Designation				
Manufacturer				
Aerospace Gr	ound Equipme	nt (AGE) Assur	nptions:	
Default Settings Used?	Yes	Yes		
AGE Usage:				
Number of Annual LTO (Landing	4320	4320		
and Take-off) cycles for AGE				

F-6 Appendix F

#### Aerospace Ground Equipment (AGE) (default) - Activity 4 & 5

			Activity	
	4	5	16	17
Total Number of	Operation Hours for Each LTO	Exempt Source?	A GE Type	Designation
1	2	No	Air Compressor	MC-11
1	1	No	Bomb Lift	MJ-1B
1	0.33	No	Generator Set	A/M32A-86D
1	0.5	No	Heater	H1
1	0.5	No	Hydraulic Test Stand	MJ-2/TTU-228 - 130hp
1	8	No	Light Cart	NF-2
1	0.33	No	Start Cart	A/M32A-60A

Appendix F F-7

## **Construction Assumptions**

								ctivity				
			6	7	8	9	10	11	12	13	14	15
		Start Month						2	1			
		Quarter of the month 1						1	1			
	u	Year						2017	2017			
	Demolition	Number of Month						0	0			
	lom	Number of Days						19	20			
	Де	Area of Building to be						9500	13314			
		Height of Building to be						10	10			
		demolished (Ft)						10	10			
		Start Month	1	10	10	3	3	3	3	3	3	
		Quarter of the month 1	1	1	1	1	1	3	3	1	1	
		Year	2016	2016	2016	2017	2017	2017	2017	2017	2017	
	60	Number of Month	0	0	0	0	0	0	0	0	1	
	Site Grading	Number of Days	18	19	19	19	19	19	19	19	0	
	Gr	Area of Site to be	65000	152000	115000	130640	130640	130000	27000	18500	29000	
	Site	Graded										
	-1	Amount of Material to	10	20	20	20	10	20	10	20	20	
		be Hauled On-Site	40	•	•	•	4.0	•		•		
		Amount of Material to	10	20	20	20	10	20	10	20	20	
		be Hauled Off-Site Start Month	2	10	9	3	3	3	3	3	3	
			4	4	3	4	4	1	1	3	2	
	Sı	Quarter of the month <sup>1</sup> Year		2016	2016	2017	2017	2017	2017	2017	2017	ļ
	chii	Number of Month	2016	0	0	0	0	1	0	0	1	
	Excavating/ Trenching											
A.		Number of Days	19	19	19	19	19	0	19	19	0	
ctivit		Area of Site to be Trenched	500	5000	5000	5000	5000	5000	5000	10000	5000	
Construction Activity		Amount of Material to be Hauled On-Site	0	0	10	10	5	10	10	10	10	
struct		Amount of Material to be Hauled Off-Site	0	0	0	10	5	10	10	10	10	
ons		Start Month	3	6	6	3	3	3	3	4	4	7
)		Quarter of the month 1	3	3	3	3	3	3	3	1	1	1
	ion	Year	2016	2017	2017	2017	2017	2017	2017	2017	2017	2017
	uct.	Number of Month	9	9	9	9	9	9	9	9	9	1
	ilding Construction	Number of Days	0	0	0	0	0	0	0	0	0	0
	Co	Building Category <sup>3</sup>		_	Office or			Office or	Office or		Commercial	Commercial
	ding		Industrial	or Retail	or Retail							
	Buila	Area of Building (sf)	32,399	30,315	56836	65320	65320	9500	13314	9235	14683	1566
	P	Height of Building (ft)	10	12	20	15	15	10	10	15	20	1
		Number of Units										
	_	Start Month	8	9	8	8	7	8	8	8	8	
	sgu	Quarter of the month 1	1	1	3	3	3	1	1	1	2	
	oati	Year	2016	2017	2017	2017	2017	2017	2017	2017	2017	
	<i>יו</i> כי	Number of Month	0	0	0	0	0	0	1	0	0	
	tura	Number of Days	19	19	19	19	19	19	0	15	15	
	itec	Building Category 3									Non-	
	Architectural Coatings	Total Square Footage	32399	32399	56836	65320	65320	9500	13314	9235	15000	
	A	Number of Units										
		Start Month	9	9	9	8		8	8	8	8	6
		Quarter of the month 1	1	2	2	2		2	1	1	1	1
	8u	Year	2016	2017	2017	2017		2017	2017	2017	2017	2017
	Paving	Number of Month	1	0	0	0		0	0	1	1	1
	Ь	Number of Days	0	19	19	19		19	19	0	0	0
		Paving Area	100000	90000	25000	150000		10000	9000	27000	44000	1566
		1 4 1 11 5 / 11 0 4	100000	70000	25000	150000		10000	7000	27000	77000	1300

F-8 Appendix F

			Acti	vity
			6	7
		Default Settings Used?		
	и	Average Day(s) worked per week		
	Demolition	Construction Exhaust -Equipment:		
	mo	Concrete/Industrial Saws		
	De	Rubber Tired Dozers Composite		
		Tractors/Loaders/Backhoes		
		Default Settings Used?	Yes	Yes
	•	Average Day(s) worked per week	5 (default)	5 (default)
		Construction Exhaust -Equipment:		
	Site Grading	Excavators Composite		
	irac	Graders Composite	1 equipment per 6 hrs/day	1 equipment per 8 hrs/day
	ite (	Other Construction Equipment	1 equipment per 8 hrs/day	1 equipment per 8 hrs/day
	S	Rubber Tired Dozers Composite	1 equipment per 6 hrs/day	1 equipment per 8 hrs/day
		Scrapers Composite		
		Tractors/Loaders/Backhoes	1 equipment per 7 hrs/day	2 equipment per 7 hrs/day
		Default Settings Used?	Yes	Yes
	òc oc	Average Day(s) worked per week	5 (default)	5 (default)
<i>^</i>	Excavating/ Trenching	Construction Exhaust -Equipment:		
ivit		Excavators Composite	2 equipment per 8 hrs/day	2 equipment per 8 hrs/day
Act	$Ex_i$ $T_i$	Other General Industrial Equipment	1 equipment per 8 hrs/day	1 equipment per 8 hrs/day
on		Tractors/Loaders/Backhoes	1 equipment per 8 hrs/day	1 equipment per 8 hrs/day
Construction Activity		Default Settings Used?	Yes	Yes
nstı	Building Construction	Average Day(s) worked per week	5 (default)	5 (default)
Co	ruc	Construction Exhaust -Equipment:		
	nst	Cranes Composite	1 equipment per 6 hrs/day	1 equipment per 6 hrs/day
	S C	Forklifts Composite	2 equipment per 6 hrs/day	2 equipment per 6 hrs/day
	din	Generator Sets Composite	1 equipment per 8 hrs/day	1 equipment per 8 hrs/day
	Buil	Tractors/Loaders/Backhoes	1 equipment per 8 hrs/day	1 equipment per 8 hrs/day
	,	Welders Composite	3 equipment per 8 hrs/day	3 equipment per 8 hrs/day
	ectural tings	Default Settings Used?	Yes	Yes
	Architect Coatiny	Average Day(s) worked per week	5 (default)	5 (default)
		Default Settings Used?	Yes	Yes
		Average Day(s) worked per week	5 (default)	5 (default)
		Construction Exhaust -Equipment:		
	Paving	Cement and Mortar Mixers	4 equipment per 6 hrs/day	4 equipment per 6 hrs/day
	Pav	Pavers Composite	1 equipment per 7 hrs/day	1 equipment per 7 hrs/day
	Ĭ ,	Paving Equipment Composite	2 equipment per 6 hrs/day	2 equipment per 6 hrs/day
		Rollers Composite	1 equipment per 7 hrs/day	1 equipment per 7 hrs/day
		Tractors/Loaders/Backhoes	1 equipment per 7 hrs/day	1 equipment per 7 hrs/day

Appendix F F-9

			Act	ivity
			8	9
		Default Settings Used?		
	u	Average Day(s) worked per week		
	Demolition	Construction Exhaust -Equipment:		
	оша	Concrete/Industrial Saws		
	De	Rubber Tired Dozers Composite		
		Tractors/Loaders/Backhoes		
		Default Settings Used?	Yes	Yes
		Average Day(s) worked per week	5 (default)	5 (default)
	20	Construction Exhaust -Equipment:		
	Site Grading	Excavators Composite	1 equipment per 8 hrs/day	1 equipment per 8 hrs/day
	Gra	Graders Composite	1 equipment per 8 hrs/day	1 equipment per 8 hrs/day
	ite (	Other Construction Equipment	1 equipment per 8 hrs/day	1 equipment per 8 hrs/day
	S	Rubber Tired Dozers Composite	1 equipment per 8 hrs/day	1 equipment per 8 hrs/day
		Scrapers Composite		2 equipment per 8 hrs/day
		Tractors/Loaders/Backhoes	2 equipment per 7 hrs/day	2 equipment per 7 hrs/day
		Default Settings Used?	Yes	Yes
	Excavating/ Trenching	Average Day(s) worked per week	5 (default)	5 (default)
y		Construction Exhaust -Equipment:		
ivit		Excavators Composite	2 equipment per 8 hrs/day	2 equipment per 8 hrs/day
Acı		Other General Industrial Equipment	1 equipment per 8 hrs/day	1 equipment per 8 hrs/day
ion		Tractors/Loaders/Backhoes	1 equipment per 8 hrs/day	1 equipment per 8 hrs/day
Construction Activity		Default Settings Used?	Yes	Yes
nst	Building Construction	Average Day(s) worked per week	5 (default)	5 (default)
$C^{\epsilon}$	,ruc	Construction Exhaust -Equipment:		
	onst	Cranes Composite	1 equipment per 6 hrs/day	1 equipment per 6 hrs/day
	s C	Forklifts Composite	2 equipment per 6 hrs/day	2 equipment per 6 hrs/day
	din	Generator Sets Composite	1 equipment per 8 hrs/day	1 equipment per 8 hrs/day
	Buil	Tractors/Loaders/Backhoes	1 equipment per 8 hrs/day	1 equipment per 8 hrs/day
	ŗ	Welders Composite	3 equipment per 8 hrs/day	3 equipment per 8 hrs/day
	ectural ings	Default Settings Used?	Yes	Yes
	Architect Coatim	Average Day(s) worked per week	5 (default)	5 (default)
		Default Settings Used?	Yes	Yes
		Average Day(s) worked per week	5 (default)	5 (default)
		Construction Exhaust -Equipment:		
	Paving	Cement and Mortar Mixers	4 equipment per 6 hrs/day	4 equipment per 6 hrs/day
	Pav	Pavers Composite	1 equipment per 7 hrs/day	1 equipment per 7 hrs/day
	,	Paving Equipment Composite	1 equipment per 8 hrs/day	2 equipment per 6 hrs/day
		Rollers Composite	1 equipment per 7 hrs/day	1 equipment per 7 hrs/day
	<u></u>	Tractors/Loaders/Backhoes	1 equipment per 7 hrs/day	

F-10 Appendix F

			Act	ivity	
			10	11	
		Default Settings Used?		Yes	
	u	Average Day(s) worked per week		5 (default)	
	Demolition	Construction Exhaust -Equipment:			
	оша	Concrete/Industrial Saws		1 equipment per 8 hrs/day	
	De	Rubber Tired Dozers Composite		1 equipment per 1 hrs/day	
		Tractors/Loaders/Backhoes		2 equipment per 6 hrs/day	
		Default Settings Used?	Yes	Yes	
		Average Day(s) worked per week	5 (default)	5 (default)	
	<u>.</u> .	Construction Exhaust -Equipment:			
	Site Grading	Excavators Composite			
	Grac	Graders Composite	1 equipment per 8 hrs/day	1 equipment per 8 hrs/day	
	ite (	Other Construction Equipment	1 equipment per 8 hrs/day	1 equipment per 8 hrs/day	
	S	Rubber Tired Dozers Composite	1 equipment per 8 hrs/day	1 equipment per 8 hrs/day	
ty.		Scrapers Composite			
		Tractors/Loaders/Backhoes	2 equipment per 7 hrs/day	2 equipment per 7 hrs/day	
		Default Settings Used?	Yes	Yes	
	, so so	Average Day(s) worked per week	5 (default)	5 (default)	
	ıtin hin	Construction Exhaust -Equipment:			
ivit	Excavating/ Trenching	Excavators Composite	2 equipment per 8 hrs/day	2 equipment per 8 hrs/day	
Acı	Ex $T$	Other General Industrial Equipment	1 equipment per 8 hrs/day	1 equipment per 8 hrs/day	
ion		Tractors/Loaders/Backhoes	1 equipment per 8 hrs/day	1 equipment per 8 hrs/day	
Construction Activity		Default Settings Used?	Yes	Yes	
nst	ion	Average Day(s) worked per week	5 (default)	5 (default)	
$\mathcal{C}$	Building Construction	Construction Exhaust -Equipment:			
	suc	Cranes Composite	1 equipment per 6 hrs/day	1 equipment per 4 hrs/day	
	g C	Forklifts Composite	2 equipment per 6 hrs/day	2 equipment per 6 hrs/day	
	din	Generator Sets Composite	1 equipment per 8 hrs/day		
	Buil	Tractors/Loaders/Backhoes	1 equipment per 8 hrs/day	1 equipment per 8 hrs/day	
	7	Welders Composite	3 equipment per 8 hrs/day		
	ectural ings	Default Settings Used?	Yes	Yes	
	Architect Coatiny	Average Day(s) worked per week	5 (default)	5 (default)	
		Default Settings Used?		Yes	
		Average Day(s) worked per week		5 (default)	
		Construction Exhaust -Equipment:			
	Paving	Cement and Mortar Mixers		4 equipment per 6 hrs/day	
	Pavi	Pavers Composite		1 equipment per 7 hrs/day	
		Paving Equipment Composite			
		Rollers Composite		1 equipment per 7 hrs/day	
		Tractors/Loaders/Backhoes		1 equipment per 7 hrs/day	

Appendix F F-11

			Act	ivity
			12	13
		Default Settings Used?	Yes	
	u	Average Day(s) worked per week	5 (default)	
	litio	Construction Exhaust -Equipment:		
	Demolition	Concrete/Industrial Saws	1 equipment per 8 hrs/day	
	P	Rubber Tired Dozers Composite	1 equipment per 1 hrs/day	
		Tractors/Loaders/Backhoes	2 equipment per 6 hrs/day	
		Default Settings Used?	Yes	Yes
		Average Day(s) worked per week	5 (default)	5 (default)
	20	Construction Exhaust -Equipment:		
	ding	Excavators Composite		
	Gra	Graders Composite	1 equipment per 6 hrs/day	1 equipment per 6 hrs/day
	Site Grading	Other Construction Equipment	1 equipment per 8 hrs/day	1 equipment per 8 hrs/day
	S	Rubber Tired Dozers Composite	1 equipment per 6 hrs/day	1 equipment per 6 hrs/day
		Scrapers Composite		
		Tractors/Loaders/Backhoes	1 equipment per 7 hrs/day	1 equipment per 7 hrs/day
		Default Settings Used?	Yes	Yes
	20 20	Average Day(s) worked per week	5 (default)	5 (default)
ų	Excavating/ Trenching	Construction Exhaust -Equipment:		
ivit	cav	Excavators Composite	2 equipment per 8 hrs/day	2 equipment per 8 hrs/day
Acı	Ex $T$	Other General Industrial Equipment	1 equipment per 8 hrs/day	1 equipment per 8 hrs/day
ion		Tractors/Loaders/Backhoes	1 equipment per 8 hrs/day	1 equipment per 8 hrs/day
Construction Activity		Default Settings Used?	Yes	Yes
nstı	Building Construction	Average Day(s) worked per week	5 (default)	5 (default)
$C_0$	ruci	Construction Exhaust -Equipment:		
	nnst	Cranes Composite	1 equipment per 4 hrs/day	1 equipment per 4 hrs/day
	s C	Forklifts Composite	2 equipment per 6 hrs/day	2 equipment per 6 hrs/day
	din	Generator Sets Composite		
	Buil	Tractors/Loaders/Backhoes	1 equipment per 8 hrs/day	1 equipment per 8 hrs/day
	ŗ	Welders Composite		
	ectural ings	Default Settings Used?	Yes	Yes
	Architec Coatir	Average Day(s) worked per week	5 (default)	5 (default)
		Default Settings Used?	Yes	Yes
		Average Day(s) worked per week	5 (default)	5 (default)
		Construction Exhaust -Equipment:		
	Paving	Cement and Mortar Mixers	4 equipment per 6 hrs/day	4 equipment per 6 hrs/day
	Pav	Pavers Composite	1 equipment per 7 hrs/day	1 equipment per 7 hrs/day
	·	Paving Equipment Composite		1 equipment per 8 hrs/day
		Rollers Composite	1 equipment per 7 hrs/day	1 equipment per 7 hrs/day
		Tractors/Loaders/Backhoes	1 equipment per 7 hrs/day	1 equipment per 7 hrs/day

F-12 Appendix F

							Acti	ivity				
			6	7	8	9	10	11	12	13	14	15
		Vehicle Exhaust:										
		Average Hauling Truck Capacity (yd3):						20	20			
		Average Hauling Truck Round Trip Commute (mile)						20 (default)	20 (default)			
		Vehicle Exhaust Vehicle Mixture-POVs:										
		LDGV (%)						0	0			
		LDGT (%)						0	0			
		HDGV (%)						0	0			
vity		LDDV(%)						0	0			
4cti	u	LDDT (%)						0	0			
, uc	litio	HDDV(%)						100	100			
Construction Activity	Demolition	MC (%)						0	0			
ıstrı	Ď	Worker Trips:										
Con		Average Worker Round Trip						20	20			
		Worker Trips Vehicle Mixture- POVs										
		LDGV (%)						50	50			
		LDGT (%)						50	50			
		HDGV (%)						0	0			
		LDDV(%)						0	0			
		LDDT (%)						0	0			
		HDDV(%)						0	0			
		MC (%)						0	0			

Appendix F

							Acti	vity				
			6	7	8	9	10	11	12	13	14	15
		Vehicle Exhaust:										
		Average Hauling Truck Capacity (yd3)	20	20	20	20	20	20	20	20	20	
		Average Hauling Truck Round Trip	20	20	20	20	20	20	20	20	20	
		Commute (mile)	(default)									
		Vehicle Exhaust Vehicle Mixture-POVs:										
		LDGV (%)	0	0	0	0	0	0	0	0	0	
		LDGT (%)	0	0	0	0	0	0	0	0	0	
		HDGV (%)	0	0	0	0	0	0	0	0	0	
ty		LDDV(%)	0	0	0	0	0	0	0	0	0	
tivi	56	LDDT (%)	0	0	0	0	0	0	0	0	0	
46	ding	HDDV (%)	100	100	100	100	100	100	100	100	100	
ion	Grading	MC (%)	0	0	0	0	0	0	0	0	0	
Construction Activity	Site (	Worker Trips:										
nst	S	Average Worker Round Trip	20	20	20	20	20	20	20	20	20	
$C_{\theta}$		Commute (mile)	(default)									
		Worker Trips Vehicle Mixture- POVs:										
		LDGV (%)	50	50	50	50	50	50	50	50	50	
		LDGT (%)	50	50	50	50	50	50	50	50	50	
		HDGV (%)	0	0	0	0	0	0	0	0	0	
		LDDV (%)	0	0	0	0	0	0	0	0	0	
		LDDT (%)	0	0	0	0	0	0	0	0	0	
		HDDV(%)	0	0	0	0	0	0	0	0	0	
		MC (%)	0	0	0	0	0	0	0	0	0	

F-14 Appendix F

		ion Assumptions (continued)					Acti	vity				
			6	7	8	9	10	11	12	13	14	15
		Vehicle Exhaust:										
		Average Hauling Truck Capacity (yd3):	20	20	20	20	20	20	20	20	20	
		Average Hauling Truck Round Trip	20	20	20	20	20	20	20	20	20	
		Commute (mile)	(default)									
		Vehicle Exhaust Vehicle Mixture-POVs:										
		LDGV (%)	0	0	0	0	0	0	0	0	0	
		LDGT (%)	0	0	0	0	0	0	0	0	0	
		HDGV (%)	0	0	0	0	0	0	0	0	0	
th th	Su	LDDV(%)	0	0	0	0	0	0	0	0	0	
tivi	ıchi	LDDT (%)	0	0	0	0	0	0	0	0	0	
Ac	Trenching	HDDV (%)	100	100	100	100	100	100	100	100	100	
ion		MC (%)	0	0	0	0	0	0	0	0	0	
Construction Activity	vating/	Worker Trips:										
nst	za v.	Average Worker Round Trip	20	20	20	20	20	20	20	20	20	
$C_{\ell}$	Exca	Commute (mile)	(default)									
		Worker Trips Vehicle Mixture-POVs										
		LDGV (%)	50	50	50	50	50	50	50	50	50	
		LDGT (%)	50	50	50	50	50	50	50	50	50	
		HDGV (%)	0	0	0	0	0	0	0	0	0	
		LDDV (%)	0	0	0	0	0	0	0	0	0	
		LDDT (%)	0	0	0	0	0	0	0	0	0	
		HDDV (%)	0	0	0	0	0	0	0	0	0	
		MC (%)	0	0	0	0	0	0	0	0	0	

Appendix F

		Assumptions (continued)	Activity           6         7         8         9         10         11         12         13         14         15										
			6	7	8	9	10	11	12	13	14	15	
		Vehicle Exhaust:											
		Average Hauling Truck Round Trip	20	20	20	20	20	20	20	20	20	20	
		Commute (mile)	(default)	(default)	(default)	(default)	(default)	(default)	(default)	(default)	(default)	(default)	
		Vehicle Exhaust Vehicle Mixture-POVs:											
		LDGV (%)	0	0	0	0	0	0	0	0	0	0	
		LDGT (%)	0	0	0	0	0	0	0	0	0	0	
		HDGV (%)	0	0	0	0	0	0	0	0	0	0	
		LDDV (%)	0	0	0	0	0	0	0	0	0	0	
		LDDT (%)	0	0	0	0	0	0	0	0	0	0	
		HDDV (%)	100	100	100	100	100	100	100	100	100	100	
		MC (%)	0	0	0	0	0	0	0	0	0	0	
		Worker Trips:											
		Average Worker Round Trip	20	20	20	20	20	20	20	20	20	20	
<i>A</i> .	u	Commute (mile)	(default)	(default)	(default)	(default)	(default)	(default)	(default)	(default)	(default)	(default)	
ivit	ctio	Worker Trips Vehicle Mixture- POVs											
40	stru	LDGV (%)	50	50	50	50	50	50	50	50	50	50	
on	Jones	LDGT (%)	50	50	50	50	50	50	50	50	50	50	
Construction Activity	Building Construction	HDGV (%)	0	0	0	0	0	0	0	0	0	0	
nstr	ildii	LDDV (%)	0	0	0	0	0	0	0	0	0	0	
$C_{o}$	Bu	LDDT (%)	0	0	0	0	0	0	0	0	0	0	
		HDDV (%)	0	0	0	0	0	0	0	0	0	0	
		MC (%)	0	0	0	0	0	0	0	0	0	0	
		Vendor Trips:											
		Average Vendor Round Trip Commute	40	40	40	40	40	40	40	40	40	40	
		(mile)	(default)	(default)	(default)	(default)	(default)	(default)	(default)	(default)	(default)	(default)	
		Vendor Trips Vehicle Mixture- POVs											
		LDGV (%)	0	0	0	0	0	0	0	0	0	0	
		LDGT (%)	0	0	0	0	0	0	0	0	0	0	
		HDGV (%)	0	0	0	0	0	0	0	0	0	0	
		LDDV (%)	0	0	0	0	0	0	0	0	0	0	
		LDDT (%)	0	0	0	0	0	0	0	0	0	0	
		HDDV (%)	100	100	100	100	100	100	100	100	100	100	
		MC (%)	0	0	0	0	0	0	0	0	0	0	

F-16 Appendix F

,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	ction	Assumptions (concluded)					Acti	vity				
			6	7	8	9	10	11	12	13	14	15
		Worker Trips:										
	Så	Average Worker Round Trip Commute	20 (default)									
	ting	Worker Trips Vehicle Mixture- POVs:										
	Соа	LDGV (%)	50	50	50	50	50	50	50	50	50	
	ral (	LDGT (%)	50	50	50	50	50	50	50	50	50	
	ctu	HDGV (%)	0	0	0	0	0	0	0	0	0	
	Architectural Coatings	LDDV (%)	0	0	0	0	0	0	0	0	0	
	Arc	LDDT (%)	0	0	0	0	0	0	0	0	0	
	·	HDDV (%)	0	0	0	0	0	0	0	0	0	
		MC (%)	0	0	0	0	0	0	0	0	0	
		Vehicle Exhaust:										
		Average Hauling Truck Round Trip	20	20	20	20		20	20	20	20	20
ty.		Commute (mile)	(default)	(default)	(default)	(default)		(default)	(default)	(default)	(default)	(default)
Construction Activity		Vehicle Exhaust Vehicle Mixture-POVs:	0	0	0	0		0	0	0	0	0
Ac		LDGV (%)	0	0	0	0		0	0	0	0	0
ion		LDGT (%)	0	0	0	0		0	0	0	0	0
ruct		HDGV (%)	0	0	0	0		0	0	0	0	0
nst		LDDV(%)		0	0	0		0	0	0	0	0
Ce		LDDT (%)	0	0	0	0	-	0	0	0	0	0
		HDDV(%)	100	100	100	100		100	100	100	100	100
	Paving	MC (%)	0	0	0	0		0	0	0	0	0
	Pav	Worker Trips:										
	·	Average Worker Round Trip	20	20	20	20		20	20	20	20	20
		Commute (mile)	(default)	(default)	(default)	(default)		(default)	(default)	(default)	(default)	(default)
		Worker Trips Vehicle Mixture- POVs:										
		LDGV(%)		50	50	50		50	50	50	50	50
		LDGT (%)		50	50	50		50	50	50	50	50
		HDGV(%)		0	0	0		0	0	0	0	0
		LDDV(%)		0	0	0		0	0	0	0	0
		LDDT (%)		0	0	0		0	0	0	0	0
		HDDV(%)		0	0	0		0	0	0	0	0
		MC (%)	0	0	0	0		0	0	0	0	0

Appendix F

Personnel Emission Factor(s)
On Road Vehicle Emission Factors (grams/mile)

Year		VOC	SOx	NOx	СО	PM 10	PM 2.5	Pb	NH3	CO2	Emission Factors are Used for These Construction Activity
2018	LDGV	0.597	0.009	0.53	9.519	0.028	0.014		0.095	500.8	
2018	LDGT	0.597	0.009	0.53	9.519	0.028	0.014		0.095	500.8	
2018	HDGV	0.597	0.009	0.53	9.519	0.028	0.014		0.095	500.8	
2018	LDDV	0.597	0.009	0.53	9.519	0.028	0.014		0.095	500.8	Activity 2
2018	LDDT	0.597	0.009	0.53	9.519	0.028	0.014		0.095	500.8	
2018	HDDV	0.597	0.009	0.53	9.519	0.028	0.014		0.095	500.8	
2018	MC	0.597	0.009	0.53	9.519	0.028	0.014		0.095	500.8	
2019	LDGV	0.597	0.009	0.53	9.519	0.028	0.014		0.095	500.8	
2019	LDGT	0.597	0.009	0.53	9.519	0.028	0.014		0.095	500.8	
2019	HDGV	0.597	0.009	0.53	9.519	0.028	0.014		0.095	500.8	
2019	LDDV	0.597	0.009	0.53	9.519	0.028	0.014		0.095	500.8	Activity 3
2019	LDDT	0.597	0.009	0.53	9.519	0.028	0.014		0.095	500.8	
2019	HDDV	0.597	0.009	0.53	9.519	0.028	0.014		0.095	500.8	
2019	MC	0.597	0.009	0.53	9.519	0.028	0.014		0.095	500.8	

Aircraft & Engines Emission Factor(s)
- Aircraft & Engine Emissions Factors (lb/1000lb fuel)
Proprietary Information. Contact Air Quality Subject Matter Expert for More Information regarding this engine's Emission Factors.

F-18 Appendix F

#### **Aerospace Ground Equipment (AGE) Emission Factor(s)**

- Aerospace Ground Equipment (AGE) Emission Factor (lb/hr)

Designation	Fuel Flo	wVOC	SOx	NOx	СО	PM 10	PM 2.5	CO2e
MC-11	1.8	0.276	0.004	0.177	12.262	0.109	0.1	34.8
MJ-1B	0	3.04	0.219	4.78	3.04	0.8	0.776	141.2
A/M32A-86D	6.5	0.294	0.046	6.102	0.457	0.091	0.089	147
H1	0.4	0.1	0.011	0.16	0.18	0.006	0.006	8.9
MJ-2/TTU-22	7.4	0.195	0.053	3.396	0.794	0.089	0.086	168.8
NF-2	0	0.01	0.043	0.11	0.08	0.01	0.01	22.1
A/M32A-60A	0	0.27	0.306	1.82	5.48	0.211	0.205	221.1

Appendix F

# Construction/Demolition Emission Factor(s) Demolition - Construction Exhaust Emission Factors (lb/hour) (default)

Year	Equipment	VOC	SOx	NOx	СО	PM 10	PM 2.5	СН4	CO2	Emission Factors are Used for These Construction Activity
2017	Concrete/ Industrial Saws Composite	0.0678	0.0006	0.4267	0.3892	0.0297	0.0297	0.0061	58.463	
2017	Rubber Tired Dozers Composite	0.2464	0.0024	1.9508	0.93	0.0796	0.0796	0.0222	239.08	Activity 11 & 12
2017	Tractors/ Loaders/ Backhoes Composite	0.0558	0.0007	0.368	0.3666	0.0221	0.0221	0.005	66.797	

-Vehicle Exhaust & Worker Trips Emission Factors (grams/mile)

Year		VOC	SOx	NOx	со	PM 10	PM 2.5	Pb	NH3	CO2	Emission Factors are Used for These Construction Activity
2017	LDGV	0.6	0.01	0.5	9.52	0.028	0.014		0.1	501	
2017	LDGT	0.6	0.01	0.5	9.52	0.028	0.014		0.1	501	
2017	HDGV	0.6	0.01	0.5	9.52	0.028	0.014		0.1	501	
2017	LDDV	0.6	0.01	0.5	9.52	0.028	0.014		0.1	501	Activity 11 & 12
2017	LDDT	0.6	0.01	0.5	9.52	0.028	0.014		0.1	501	
2017	HDDV	0.6	0.01	0.5	9.52	0.028	0.014		0.1	501	
2017	MC	0.6	0.01	0.5	9.52	0.028	0.014		0.1	501	

F-20 Appendix F

Site Grading Phase Emission Factor(s)
- Construction Exhaust Emission Factors (lb/hour) (default)

Year	Equipment	VOC	SOx	NOx	СО	PM 10	PM 2.5	СН4	CO2	Emission Factors are Used for These Construction Activity
2016	Graders	0.12	0.001	0.887	0.588	0.044	0.0441	0.011	132.7	
2016	Other Construction Equipment Composite	0.072	0.001	0.568	0.36	0.023	0.0233	0.006	122.6	
2016	Rubber Tired Dozers	0.259	0.002	2.089	0.983	0.086	0.0858	0.023	239.1	Activity 6,7& 8
2016	Tractors/ Loaders/ Backhoes	0.061	7.00E-04	0.407	0.369	0.026	0.0258	0.006	66.8	
2016	Excavators Composite	0.099	0.001	0.66	0.521	0.033	0.0332	0.009	119.6	
2017	Excavators Composite	0.092	0.001	0.586	0.518	0.029	0.0288	0.008	119.6	
2017	Graders	0.112	0.001	0.801	0.584	0.04	0.0396	0.01	132.7	
2017	Other Construction Equipment Composite	0.067	0.001	0.504	0.357	0.021	0.0206	0.006	122.5	Activity 9, 10, 11,
2017	Rubber Tired Dozers	0.246	0.002	1.951	0.93	0.08	0.0796	0.022	239.1	12, 13 & 14
2017	Scrapers Composite	0.226	0.003	1.748	0.871	0.072	0.0716	0.02	262.5	
2017	Tractors/Loaders/ Backhoes	0.056	7.00E-04	0.368	0.367	0.022	0.0221	0.005	66.8	

Appendix F F-21

## - Vehicle Exhaust & Worker Trips Emission Factors (grams/mile)

Year		VOC	SOx	NOx	СО	PM 10	PM 2.5	Pb	NH3	CO2	Emission Factors are Used for These Construction Activity
2016	LDGV	0.625	0.009	0.571	9.736	0.028	0.014		0.095	500	
2016	LDGT	0.625	0.009	0.571	9.736	0.028	0.014		0.095	500	
2016	HDGV	0.625	0.009	0.571	9.736	0.028	0.014		0.095	500	
2016	LDDV	0.625	0.009	0.571	9.736	0.028	0.014		0.095	500	Activity 6,7 & 8
2016	LDDT	0.625	0.009	0.571	9.736	0.028	0.014		0.095	500	
2016	HDDV	0.625	0.009	0.571	9.736	0.028	0.014		0.095	500	
2016	MC	0.625	0.009	0.571	9.736	0.028	0.014		0.095	500	
2017	LDGV	0.597	0.009	0.53	9.519	0.028	0.014		0.095	500.8	
2017	LDGT	0.597	0.009	0.53	9.519	0.028	0.014		0.095	500.8	
2017	HDGV	0.597	0.009	0.53	9.519	0.028	0.014		0.095	500.8	
2017	LDDV	0.597	0.009	0.53	9.519	0.028	0.014		0.095	500.8	Activity 9,10,11,12,13 & 14
2017	LDDT	0.597	0.009	0.53	9.519	0.028	0.014		0.095	500.8	14
2017	HDDV	0.597	0.009	0.53	9.519	0.028	0.014		0.095	500.8	
2017	MC	0.597	0.009	0.53	9.519	0.028	0.014		0.095	500.8	

F-22

Trenching / Excavating Phase Emission Factor(s)
- Construction Exhaust Emission Factors (lb/hour) (default)

Year	Equipment	VOC	SOx	NOx	СО	PM 10	PM 2.5	СН4	CO2	Emission Factors are Used for These Construction Activity	
2016	Graders Composite	0.1196	0.0014	0.8866	0.5883	0.0441	0.0441	0.0107	132.74		
2016	Other Construction Equipment Composite	0.0719	0.0012	0.5679	0.3602	0.0233	0.0233	0.0064	122.56		
2016	Rubber Tired Dozers	0.2591	0.0024	2.0891	0.9833	0.0858	0.0858	0.0233	239.09	Activity 6,7 & 8	
2016	Tractors/ Loaders/ Backhoes	0.061	0.0007	0.4069	0.3689	0.0258	0.0258	0.0055	66.797	_	
2016	Excavators Composite	0.0987	0.0013	0.6602	0.5212	0.0332	0.0332	0.0089	119.58		
2017	Excavators Composite	0.0915	0.0013	0.5857	0.5183	0.0288	0.0288	0.0082	119.57		
2017	Graders	0.112	0.0014	0.8007	0.5843	0.0396	0.0396	0.0101	132.74	]	
2017	Other Construction Equipment Composite	0.0674	0.0012	0.5044	0.3568	0.0206	0.0206	0.006	122.54	Activity 9, 10,11,12,13 &14	
2017	Rubber Tired Dozers	0.2464	0.0024	1.9508	0.93	0.0796	0.0796	0.0222	239.08	α14	
2017	Scrapers Composite	0.2256	0.0026	1.7483	0.8713	0.0716	0.0716	0.0203	262.48		
2017	Tractors/Loade rs/Backhoes Composite	0.0558	0.0007	0.368	0.3666	0.0221	0.0221	0.005	66.797		

Appendix F F-23

## - Vehicle Exhaust & Worker Trips Emission Factors (grams/mile)

Year		VOC	SOx	NOx	со	PM 10	PM 2.5	Pb	NH3	CO2	EmissionFactors are Used for These Construction Activity
2016	LDGV	0.625	0.009	0.571	9.736	0.028	0.014		0.095	500	
2016	LDGT	0.625	0.009	0.571	9.736	0.028	0.014		0.095	500	
2016	HDGV	0.625	0.009	0.571	9.736	0.028	0.014		0.095	500	Ţ
2016	LDDV	0.625	0.009	0.571	9.736	0.028	0.014		0.095	500	Activity 6,7 & 8
2016	LDDT	0.625	0.009	0.571	9.736	0.028	0.014		0.095	500	
2016	HDDV	0.625	0.009	0.571	9.736	0.028	0.014		0.095	500	
2016	MC	0.625	0.009	0.571	9.736	0.028	0.014		0.095	500	
2017	LDGV	0.597	0.009	0.53	9.519	0.028	0.014		0.095	500.8	
2017	LDGT	0.597	0.009	0.53	9.519	0.028	0.014		0.095	500.8	
2017	HDGV	0.597	0.009	0.53	9.519	0.028	0.014		0.095	500.8	
2017	LDDV	0.597	0.009	0.53	9.519	0.028	0.014		0.095	500.8	Activity 9,10,11,12,13 &
2017	LDDT	0.597	0.009	0.53	9.519	0.028	0.014		0.095	500.8	14
2017	HDDV	0.597	0.009	0.53	9.519	0.028	0.014		0.095	500.8	
2017	MC	0.597	0.009	0.53	9.519	0.028	0.014		0.095	500.8	

F-24 Appendix F

Building Construction Phase Emission Factor(s)
- Construction Exhaust Emission Factors (lb/hour) (default)

Year	Equipment	VOC	SOx	NOx	СО	PM 10	PM 2.5	СН4	CO2	Emission Factors are Used for These Construction Activity	
2016	Cranes	0.1136	0.0013	0.9387	0.4263	0.0387	0.0387	0.0102	128.62		
2016	Forklifts Composite	0.0427	0.0006	0.2815	0.2189	0.0136	0.0136	0.0038	54.395		
2016	Generator Sets Composite	0.058	0.0006	0.4369	0.2862	0.024	0.024	0.0052	60.992		
2016	Tractors/ Loaders/ Backhoes Composite	0.061	0.0007	0.4069	0.3689	0.0258	0.0258	0.0055	66.797	Activity 6	
2016	Welders Composite	0.0482	0.0003	0.2173	0.195	0.0168	0.0168	0.0043	25.602		
2017	Cranes	0.1073	0.0013	0.8624	0.4152	0.0352	0.0352	0.0096	128.62		
2017	Forklifts Composite	0.0399	0.0006	0.2492	0.2181	0.0118	0.0118	0.0036	54.395		
2017	Generator Sets Composite	0.0526	0.0006	0.4052	0.282	0.0215	0.0215	0.0047	60.992	Activity 7, 8, 9,	
2017	Tractors/ Loaders/ Backhoes Composite	0.0558	0.0007	0.368	0.3666	0.0221	0.0221	0.005	66.797	10, 11, 12,13,14 & 15	
2017	Welders Composite	0.0433	0.0003	0.2054	0.1912	0.015	0.015	0.0039	25.602		

Appendix F F-25

## - Vehicle Exhaust & Worker Trips Emission Factors (grams/mile)

Year		VOC	SOx	NOx	СО	PM 10	PM 2.5	Pb	NH3	CO2	Emission Factors are Used for These Construction Activity
2016	LDGV	0.63	0.01	0.57	9.74	0.028	0.014		0.1	500	
2016	LDGT	0.63	0.01	0.57	9.74	0.028	0.014		0.1	500	
2016	HDGV	0.63	0.01	0.57	9.74	0.028	0.014		0.1	500	
2016	LDDV	0.63	0.01	0.57	9.74	0.028	0.014		0.1	500	Activity 6
2016	LDDT	0.63	0.01	0.57	9.74	0.028	0.014		0.1	500	
2016	HDDV	0.63	0.01	0.57	9.74	0.028	0.014		0.1	500	1
2016	MC	0.63	0.01	0.57	9.74	0.028	0.014		0.1	500	
2017	LDGV	0.6	0.01	0.53	9.52	0.028	0.014		0.1	501	
2017	LDGT	0.6	0.01	0.53	9.52	0.028	0.014		0.1	501	
2017	HDGV	0.6	0.01	0.53	9.52	0.028	0.014		0.1	501	Activity 7, 8,
2017	LDDV	0.6	0.01	0.53	9.52	0.028	0.014		0.1	501	9, 10, 11, 12,
2017	LDDT	0.6	0.01	0.53	9.52	0.028	0.014		0.1	501	13, 14 & 15
2017	HDDV	0.6	0.01	0.53	9.52	0.028	0.014		0.1	501	
2017	MC	0.6	0.01	0.53	9.52	0.028	0.014		0.1	501	

F-26 Appendix F

# Architectural Coatings Phase Emission Factor(s) - Worker Trips Emission Factors (grams/mile)

Year		VOC	SOx	NO <sub>X</sub>	СО	PM 10	PM 2.5	Pb	NH3	CO2	Emission Factors are Used for These Construction Activity
2016	LDGV	0.63	0.01	0.57	9.74	0.028	0.014		0.1	500	
2016	LDGT	0.63	0.01	0.57	9.74	0.028	0.014		0.1	500	
2016	HDGV	0.63	0.01	0.57	9.74	0.028	0.014		0.1	500	
2016	LDDV	0.63	0.01	0.57	9.74	0.028	0.014		0.1	500	Activity 6
2016	LDDT	0.63	0.01	0.57	9.74	0.028	0.014		0.1	500	
2016	HDDV	0.63	0.01	0.57	9.74	0.028	0.014		0.1	500	
2016	MC	0.63	0.01	0.57	9.74	0.028	0.014		0.1	500	
2017	LDGV	0.6	0.01	0.53	9.52	0.028	0.014		0.1	501	
2017	LDGT	0.6	0.01	0.53	9.52	0.028	0.014		0.1	501	
2017	HDGV	0.6	0.01	0.53	9.52	0.028	0.014		0.1	501	A .: : . 7.0.0.10.11.10
2017	LDDV	0.6	0.01	0.53	9.52	0.028	0.014		0.1	501	Activity 7,8,9,10,11,12 ,13 & 14
2017	LDDT	0.6	0.01	0.53	9.52	0.028	0.014	-	0.1	501	,13 & 14
2017	HDDV	0.6	0.01	0.53	9.52	0.028	0.014		0.1	501	
2017	MC	0.6	0.01	0.53	9.52	0.028	0.014		0.1	501	

Appendix F F-27

Paving Phase Emission Factor(s)
- Construction Exhaust Emission Factors (lb/hour) (default)

Year	Start Month	Equipment	VOC	SOx	NOx	СО	PM 10	PM 2.5	СН4	CO2	Emission Factors are Used for These Construction Activity	
2016	9	Graders Composite	0.1196	0.0014	0.8866	0.5883	0.0441	0.0441	0.0107	132.74		
2016	9	Other Construction Equipment	0.0719	0.0012	0.5679	0.3602	0.0233	0.0233	0.0064	122.56	Activity 6	
2016	9	Rubber Tired Dozers	0.2591	0.0024	2.0891	0.9833	0.0858	0.0858	0.0233	239.09	Activity 0	
2016	9	Tractors/ Loaders/ Backhoes	0.061	0.0007	0.4069	0.3689	0.0258	0.0258	0.0055	66.797		
2017	8	Excavators	0.0915	0.0013	0.5857	0.5183	0.0288	0.0288	0.0082	119.57		
2017	8	Graders Composite	0.112	0.0014	0.8007	0.5843	0.0396	0.0396	0.0101	132.74	Activity 9,11,12,13, & 14	
2017	8	Other Construction Equipment	0.0674	0.0012	0.5044	0.3568	0.0206	0.0206	0.006	122.54		
2017	8	Rubber Tired Dozers	0.2464	0.0024	1.9508	0.93	0.0796	0.0796	0.0222	239.08		
2017	8	Scrapers Composite	0.2256	0.0026	1.7483	0.8713	0.0716	0.0716	0.0203	262.48		
2017	8	Tractors/ Loaders/ Backhoes	0.0558	0.0007	0.368	0.3666	0.0221	0.0221	0.005	66.797		
2017	9	Excavators	0.0987	0.0013	0.6602	0.5212	0.0332	0.0332	0.0089	119.58		
2017	9	Graders Composite	0.1196	0.0014	0.8866	0.5883	0.0441	0.0441	0.0107	132.74		
2017	9	Other Construction Equipment	0.0719	0.0012	0.5679	0.3602	0.0233	0.0233	0.0064	122.56	Activity 7 & 8	
2017	9	Rubber Tired Dozers	0.2591	0.0024	2.0891	0.9833	0.0858	0.0858	0.0233	239.09		
2017	9	Tractors/ Loaders/ Backhoes	0.061	0.0007	0.4069	0.3689	0.0258	0.0258	0.0055	66.797		

F-28 Appendix F

- Vehicle Exhaust & Worker Trips Emission Factors (grams/mile)

Year	Start Month		VOC	SOx	NOx	СО	PM 10	PM 2.5	Pb	NH3	CO2	Emission Factors are Used for These Construction Activity
2016	9	HDDV	0.63	0.01	0.57	9.736	0.028	0.014		0.1	500	
2016	9	HDGV	0.63	0.01	0.57	9.736	0.028	0.014		0.1	500	
2016	9	LDDT	0.63	0.01	0.57	9.736	0.028	0.014		0.1	500	
2016	9	LDDV	0.63	0.01	0.57	9.736	0.028	0.014		0.1	500	Activity 6
2016	9	LDGT	0.63	0.01	0.57	9.736	0.028	0.014		0.1	500	
2016	9	LDGV	0.63	0.01	0.57	9.736	0.028	0.014		0.1	500	
2016	9	MC	0.63	0.01	0.57	9.736	0.028	0.014		0.1	500	
2017	6	HDDV	0.74	0.01	0.74	10.67	0.03	0.016		0.1	496	
2017	6	HDGV	0.74	0.01	0.74	10.67	0.03	0.016		0.1	496	
2017	6	LDDT	0.74	0.01	0.74	10.67	0.03	0.016		0.1	496	
2017	6	LDDV	0.74	0.01	0.74	10.67	0.03	0.016		0.1	496	Activity 15
2017	6	LDGT	0.74	0.01	0.74	10.67	0.03	0.016		0.1	496	
2017	6	LDGV	0.74	0.01	0.74	10.67	0.03	0.016		0.1	496	
2017	6	MC	0.74	0.01	0.74	10.67	0.03	0.016		0.1	496	
2017	8	HDDV	0.6	0.01	0.53	9.519	0.028	0.014		0.1	501	
2017	8	HDGV	0.6	0.01	0.53	9.519	0.028	0.014		0.1	501	
2017	8	LDDT	0.6	0.01	0.53	9.519	0.028	0.014		0.1	501	
2017	8	LDDV	0.6	0.01	0.53	9.519	0.028	0.014		0.1	501	Activity 9,11,12,13, &
2017	8	LDGT	0.6	0.01	0.53	9.519	0.028	0.014		0.1	501	14
2017	8	LDGV	0.6	0.01	0.53	9.519	0.028	0.014		0.1	501	
2017	8	MC	0.6	0.01	0.53	9.519	0.028	0.014		0.1	501	
2017	9	HDDV	0.63	0.01	0.57	9.736	0.028	0.014		0.1	500	
2017	9	HDGV	0.63	0.01	0.57	9.736	0.028	0.014		0.1	500	
2017	9	LDDT	0.63	0.01	0.57	9.736	0.028	0.014		0.1	500	Activity 7 & 8
2017	9	LDDV	0.63	0.01	0.57	9.736	0.028	0.014		0.1	500	
2017	9	LDGT	0.63	0.01	0.57	9.736	0.028	0.014		0.1	500	
2017	9	LDGV	0.63	0.01	0.57	9.736	0.028	0.014		0.1	500	
2017	9	MC	0.63	0.01	0.57	9.736	0.028	0.014		0.1	500	

Appendix F

#### 2. Air Quality Model Report Detail

#### **FORMULAS**

#### Personnel Formula(s)

#### Personnel Vehicle Miles Travel for Work Days per Year

 $VMT_P = NP * WD * AC$ 

VMT<sub>P</sub>: Personnel Vehicle Miles Travel (miles/year) NP: Number of Personnel

WD: Work Days per Year AC: Average Commute (miles)

#### **Total Vehicle Miles Travel per Year**

 $VMT_{Total} = VMT_{AD} + VMT_{C} + VMT_{SC} + VMT_{ANG} + VMT_{AFRC}$ 

VMT<sub>Total</sub>: Total Vehicle Miles Travel (miles)

VMT<sub>AD</sub>: Active Duty Personnel Vehicle Miles Travel (miles)

VMT<sub>C</sub>: Civilian Personnel Vehicle Miles Travel (miles)

VMT<sub>SC</sub>: Support Contractor Personnel Vehicle Miles Travel (miles)

VMT<sub>ANG</sub>: Air National Guard Personnel Vehicle Miles Travel (miles)

VMT<sub>AFRC</sub>: Reserve Personnel Vehicle Miles Travel (miles)

#### Vehicle Emissions per Year

 $V_{POL} = (VMT_{Total} * 0.002205 * EF_{POL} * VM) / 2000$ 

V<sub>POL</sub>: Vehicle Emissions (TONs)

VMT<sub>Total</sub>: Total Vehicle Miles Travel (miles)

0.002205: Conversion Factor grams to pounds

EF<sub>POL</sub>: Emission Factor for Pollutant (grams/mile) VM: Personnel On Road Vehicle Mixture

(%)

2000: Conversion Factor pounds to tons

#### Aircraft

#### Flight Operations Formula(s)

#### Aircraft Emissions per Mode for LTOs per Year

 $AEM_{POL} = (TIM / 60) * (FC / 1000) * EF * NE * LTO / 2000$ 

AEM<sub>POL</sub>: Aircraft Emissions per Pollutant & Mode (TONs) TIM: Time in Mode (min)

60: Conversion Factor minutes to hours

FC: Fuel Flow Rate (lb/hr)

1000: Conversion Factor pounds to 1000pounds

EF: Emission Factor (lb/1000lb fuel) NE: Number of Engines

LTO: Number of Landing and Take-off Cycles (for all aircraft)

2000: Conversion Factor pounds to TONs

#### Aircraft Emissions for LTOs per Year

AE<sub>LTO</sub>: Aircraft Emissions (TONs)

AEM<sub>IDLE IN</sub>: Aircraft Emissions for Idle-In Mode (TONs)

AEM<sub>IDLE OUT</sub>: Aircraft Emissions for Idle-Out Mode (TONs)

AEM<sub>APPROACH</sub>: Aircraft Emissions for Approach Mode (TONs)

AEM<sub>CLIMBOUT</sub>: Aircraft Emissions for Climb-Out Mode (TONs)

AEM<sub>TAKEOFF</sub>: Aircraft Emissions for Take-Off Mode (TONs)

F-30 Appendix F

#### Aircraft Emissions per Mode for TGOs per Year

 $AEM_{POL} = (TIM / 60) * (FC / 1000) * EF * NE * TGO / 2000$ 

AEM<sub>POL</sub>: Aircraft Emissions per Pollutant & Mode (TONs) TIM: Time in Mode (min)

60: Conversion Factor minutes to hours

FC: Fuel Flow Rate (lb/hr)

1000: Conversion Factor pounds to 1000pounds

EF: Emission Factor (lb/1000lb fuel) NE: Number of Engines

TGO: Number of Touch-and-Go Cycles (for all aircraft)

2000: Conversion Factor pounds to TONs

#### Aircraft Emissions for TGOs per Year

AETGO = AEMAPPROACH + AEMCLIMBOUT + AEMTAKEOFF

AE<sub>TGO</sub>: Aircraft Emissions (TONs)

AEM<sub>APPROACH</sub>: Aircraft Emissions for Approach Mode (TONs) AEM<sub>CLIMBOUT</sub>: Aircraft Emissions for Climb-Out Mode (TONs) AEM<sub>TAKEOFF</sub>: Aircraft Emissions for Take-Off Mode (TONs)

#### Aircraft Emissions per Mode for Trim per Year

 $AEPS_{POL} = (TD / 60) * (FC / 1000) * EF * NE * NA * NTT / 2000$ 

AEPS<sub>POL</sub>: Aircraft Emissions per Pollutant & Power Setting (TONs) TD: Test Duration

60: Conversion Factor minutes to hours

FC: Fuel Flow Rate (lb/hr)

1000: Conversion Factor pounds to 1000pounds

EF: Emission Factor (lb/1000lb fuel) NE: Number of Engines

NA: Number of Aircraft NTT: Number of Trim Test

2000: Conversion Factor pounds to TONs

#### Aircraft Emissions for Trim per Year

AETRIM = AEPSIDLE + AEPSAPPROACH + AEPSINTERMEDIATE + AEPSMILITARY + AEPSAFTERBURN

AE<sub>TRIM</sub>: Aircraft Emissions (TONs)

AEPS<sub>IDLE</sub>: Aircraft Emissions for Idle Power Setting (TONs)

AEPS<sub>APPROACH</sub>: Aircraft Emissions for Approach Power Setting (TONs)

AEPS<sub>INTERMEDIATE</sub>: Aircraft Emissions for Intermediate Power Setting (TONs)

AEPS<sub>MILITARY</sub>: Aircraft Emissions for Military Power Setting (TONs)

AEPS<sub>AFTERBURN</sub>: Aircraft Emissions for After Burner Power Setting (TONs)

#### **Auxiliary Power Unit (APU) Formula(s)**

#### Auxiliary Power Unit (APU) Emissions per Year

 $APU_{POL} = APU * OH * LTO * NA * EF_{POL} / 2000$ 

APU<sub>POL</sub>: Auxiliary Power Unit (APU) Emissions per Pollutant (TONs) APU: Number of

**Auxiliary Power Units** 

OH: Operation Hours for Each LTO (hour) LTO: Number of LTOs

NA: Number of Aircraft

EF<sub>POL</sub>: Emission Factor for Pollutant (lb/hr) 2000: Conversion Factor pounds to tons

Appendix F F-31

#### Aerospace Ground Equipment (AGE) Formula(s)

#### Aerospace Ground Equipment (AGE) Emissions per Year

 $AGE_{POL} = AGE * OH * LTO * EF_{POL} / 2000$ 

AGE<sub>POL</sub>: Aerospace Ground Equipment (AGE) Emissions per Pollutant (TONs) AGE: Total

Number of Aerospace Ground Equipment

OH: Operation Hours for Each LTO (hour)

LTO: Number of LTOs

EF<sub>POL</sub>: Emission Factor for Pollutant (lb/hr) 2000: Conversion Factor pounds to tons

# Construction/Demolition Demolition Phase Formula(s)

#### **Fugitive Dust Emissions per Phase**

 $PM10_{FD} = (0.00042 * BA * BH) / 2000$ 

PM10<sub>FD</sub>: Fugitive Dust PM 10 Emissions (TONs)

0.00042: Emission Factor (lb/ft<sup>3</sup>)

BA: Area of Building to be demolished (ft<sup>2</sup>) BH: Height of Building to be demolished (ft)

2000: Conversion Factor pounds to tons

#### **Construction Exhaust Emissions per Phase**

 $CEE_{POL} = (NE * WD * H * EF_{POL}) / 2000$ 

CEE<sub>POL</sub>: Construction Exhaust Emissions (TONs) NE: Number of Equipment

WD: Number of Total Work Days (days)

H: Hours Worked per Day (hours)

EF<sub>POL</sub>: Emission Factor for Pollutant (lb/hour)

2000: Conversion Factor pounds to tons

#### Vehicle Exhaust Emissions per Phase

 $VMT_{VE} = BA * BH * (1 / 27)^* * 0.25 * (1 / HC) * HT$ 

VMT<sub>VE</sub>: Vehicle Exhaust Vehicle Miles Travel (miles) BA: Area of Building being demolish

BH: Height of Building being demolish (ft)

(1 / 27): Conversion Factor cubic feet to cubic yards (1 yd³ / 27 ft³)

0.25: Volume reduction factor (material reduced by 75% to account for air space) HC:

Average Hauling Truck Capacity (yd³)

(1 / HC): Conversion Factor cubic yards to trips (1 trip / HC yd<sup>3</sup>)

HT: Average Hauling Truck Round Trip Commute (mile/trip)  $V_{POL} = (VMT_{VE} * 0.002205 *$ 

 $EF_{POL} * VM) / 2000$ 

V<sub>POL</sub>: Vehicle Emissions (TONs)

VMT<sub>VE</sub>: Vehicle Exhaust Vehicle Miles Travel (miles)

0.002205: Conversion Factor grams to pounds

EF<sub>POL</sub>: Emission Factor for Pollutant (grams/mile) VM: Vehicle Exhaust On Road Vehicle

Mixture (%)

2000: Conversion Factor pounds to tons

#### **Worker Trips Emissions per Phase**

 $VMT_{WT} = WD * WT * 1.25 * NE$ 

F-32 Appendix F

VMT<sub>WT</sub>: Worker Trips Vehicle Miles Travel (miles) WD: Number of Total Work Days (days)

WT: Average Worker Round Trip Commute (mile)

1.25: Conversion Factor Number of Construction Equipment to Number of Works

NE: Number of Construction Equipment

 $V_{POL} = (VMT_{WT} * 0.002205 * EF_{POL} * VM) / 2000$ 

V<sub>POL</sub>: Vehicle Emissions (TONs)

VMT<sub>WT</sub>: Worker Trips Vehicle Miles Travel (miles)

0.002205: Conversion Factor grams to pounds

EF<sub>POL</sub>: Emission Factor for Pollutant (grams/mile) VM: Worker Trips On Road Vehicle

Mixture (%)

2000: Conversion Factor pounds to tons

#### **Site Grading Phase Formula(s)**

#### **Fugitive Dust Emissions per Phase**

 $PM10_{FD} = (20 * ACRE * \hat{W}D) / 2000$ 

PM10<sub>FD</sub>: Fugitive Dust PM 10 Emissions (TONs)

20: Conversion Factor Acre Day to pounds (20 lb / 1 Acre Day)

ACRE: Total acres (acres)

WD: Number of Total Work Days (days) 2000: Conversion Factor pounds to tons

#### - Construction Exhaust Emissions per Phase

 $CEE_{POL} = (NE * WD * H * EF_{POL}) / 2000$ 

CEE<sub>POL</sub>: Construction Exhaust Emissions (TONs) NE: Number of Equipment

WD: Number of Total Work Days (days)

H: Hours Worked per Day (hours)

EF<sub>POL</sub>: Emission Factor for Pollutant (lb/hour)

2000: Conversion Factor pounds to tons

#### - Vehicle Exhaust Emissions per Phase

 $VMT_{VE} = (HA_{OnSite} + HA_{OffSite})^{\frac{1}{*}} (1 / HC) * HT$ 

VMT<sub>VE</sub>: Vehicle Exhaust Vehicle Miles Travel (miles) HA<sub>OnSite</sub>: Amount of Material to be Hauled On-Site (yd³) HA<sub>OffSite</sub>: Amount of Material to be Hauled Off-Site (yd³) HC: Average Hauling Truck Capacity (yd³)

(1 / HC): Conversion Factor cubic yards to trips (1 trip / HC yd³) HT: Average Hauling Truck Round Trip Commute (mile/trip)

 $V_{POL} = (VMT_{VE} * 0.002205 * EF_{POL} * VM) / 2000$ 

V<sub>POL</sub>: Vehicle Emissions (TONs)

VMT<sub>VE</sub>: Vehicle Exhaust Vehicle Miles Travel (miles)

0.002205: Conversion Factor grams to pounds

EF<sub>POL</sub>: Emission Factor for Pollutant (grams/mile) VM: Vehicle Exhaust On Road Vehicle

Mixture (%)

2000: Conversion Factor pounds to tons

#### - Worker Trips Emissions per Phase

Appendix F

 $VMT_{WT} = WD * WT * 1.25 * NE$ 

VMT<sub>WT</sub>: Worker Trips Vehicle Miles Travel (miles) WD: Number of Total Work Days (days)

WT: Average Worker Round Trip Commute (mile)

1.25: Conversion Factor Number of Construction Équipment to Number of Works

NE: Number of Construction Equipment

 $V_{POL} = (VMT_{WT} * 0.002205 * EF_{POL} * VM) / 2000$ 

V<sub>POL</sub>: Vehicle Emissions (TONs)

VMT<sub>WT</sub>: Worker Trips Vehicle Miles Travel (miles)

0.002205: Conversion Factor grams to pounds

EF<sub>POL</sub>: Emission Factor for Pollutant (grams/mile) VM: Worker Trips On Road Vehicle

Mixture (%)

2000: Conversion Factor pounds to tons

F-34 Appendix F

#### **Trenching / Excavating Phase Formula(s)**

#### **Fugitive Dust Emissions per Phase**

 $PM10_{FD} = (20 * ACRE * \hat{W}D) / 2000$ 

PM10<sub>FD</sub>: Fugitive Dust PM 10 Emissions (TONs)

20: Conversion Factor Acre Day to pounds (20 lb / 1 Acre Day) ACRE: Total acres (acres)

WD: Number of Total Work Days (days)

2000: Conversion Factor pounds to tons

#### Construction Exhaust Emissions per Phase

 $CEE_{POL} = (NE * WD * H * EF_{POL}) / 2000$ 

CEE<sub>POL</sub>: Construction Exhaust Emissions (TONs) NE: Number of Equipment

WD: Number of Total Work Days (days) H: Hours Worked per Day (hours)

EF<sub>POL</sub>: Emission Factor for Pollutant (lb/hour)

2000: Conversion Factor pounds to tons

#### Vehicle Exhaust Emissions per Phase

 $VMT_{VE} = (HA_{OnSite} + HA_{OffSite}) * (1 / HC) * HT$ 

VMT<sub>VE</sub>: Vehicle Exhaust Vehicle Miles Travel (miles) HA<sub>OnSite</sub>: Amount of Material to be Hauled On-Site (yd³) HA<sub>OffSite</sub>: Amount of Material to be Hauled Off-Site (yd³) HC: Average Hauling Truck Capacity (yd³)

(1 / HC): Conversion Factor cubic yards to trips (1 trip / HC yd³) HT: Average Hauling Truck Round Trip Commute (mile/trip)

 $V_{POL} = (VMT_{VE} * 0.002205 * EF_{POL} * VM) / 2000$ 

V<sub>POL</sub>: Vehicle Emissions (TONs)

VMT<sub>VE</sub>: Vehicle Exhaust Vehicle Miles Travel (miles)

0.002205: Conversion Factor grams to pounds

EF<sub>POL</sub>: Emission Factor for Pollutant (grams/mile) VM: Vehicle Exhaust On Road Vehicle

Mixture (%)

2000: Conversion Factor pounds to tons

#### **Worker Trips Emissions per Phase**

 $VMT_{WT} = \hat{WD} * WT * 1.25 * NE$ 

VMT<sub>WT</sub>: Worker Trips Vehicle Miles Travel (miles) WD: Number of Total Work Days (days)

WT: Average Worker Round Trip Commute (mile)

1.25: Conversion Factor Number of Construction Equipment to Number of Works

NE: Number of Construction Equipment

 $V_{POL} = (VMT_{WT} * 0.002205 * EF_{POL} * VM) / 2000$ 

V<sub>POL</sub>: Vehicle Emissions (TONs)

VMT<sub>VE</sub>: Worker Trips Vehicle Miles Travel (miles)

0.002205: Conversion Factor grams to pounds

EF<sub>POL</sub>: Emission Factor for Pollutant (grams/mile) VM: Worker Trips On Road Vehicle

Mixture (%)

2000: Conversion Factor pounds to tons

#### **Architectural Coatings Phase Formula(s)**

#### **Worker Trips Emissions per Phase**

 $VMT_{WT} = (1*WT*PA)/800$ 

Appendix F F-35

VMT<sub>WT</sub>: Worker Trips Vehicle Miles Travel (miles)

1: Conversion Factor man days to trips (1 trip / 1 man \* day)

WT: Average Worker Round Trip Commute (mile) PA: Paint Area (ft²) 800: Conversion Factor square feet to man days (1 ft²/1 man \* day)

 $V_{POL} = (VMT_{WT} * 0.002205 * EF_{POL} * VM) / 2000$ 

V<sub>POL</sub>: Vehicle Emissions (TONs)

VMT<sub>WT</sub>: Worker Trips Vehicle Miles Travel (miles)

0.002205: Conversion Factor grams to pounds

EF<sub>POL</sub>: Emission Factor for Pollutant (grams/mile) VM: Worker Trips On Road Vehicle

Mixture (%)

2000: Conversion Factor pounds to tons

#### **Off-Gassing Emissions per Phase**

 $VOC_{AC} = (AB * 2.0 * 0.0116) / 2000.0$ 

VOC<sub>AC</sub>: Architectural Coating VOC Emissions (TONs) BA: Area of Building (ft<sup>2</sup>)

2.0: Conversion Factor total area to coated area (2.0 ft<sup>2</sup> coated area / total area)

0.0116: Emission Factor (lb/ft<sup>2</sup>)

2000: Conversion Factor pounds to tons

#### Paving Phase Formula(s)

#### **Construction Exhaust Emissions per Phase**

 $CEE_{POL} = (NE * WD * H * EF_{POL}) / 2000$ 

CEE<sub>POL</sub>: Construction Exhaust Emissions (TONs) NE: Number of Equipment

WD: Number of Total Work Days (days) H: Hours Worked per Day (hours)

EF<sub>POL</sub>: Emission Factor for Pollutant (lb/hour)

2000: Conversion Factor pounds to tons

F-36 Appendix F

#### **Vehicle Exhaust Emissions per Phase**

 $VMT_{VE} = PA * 0.25 * (1 / 27) * (1 / HC) * HT$ 

VMT<sub>VE</sub>: Vehicle Exhaust Vehicle Miles Travel (miles) PA: Paving Area (ft<sup>2</sup>)

0.25: Thickness of Paving Area (ft)

(1 / 27): Conversion Factor cubic feet to cubic yards (1 yd³ / 27 ft³) HC: Average Hauling Truck Capacity (yd³)

(1 / HC): Conversion Factor cubic yards to trips (1 trip / HC yd³) HT: Average Hauling Truck Round Trip Commute (mile/trip)

 $V_{POL} = (VMT_{VE} * 0.002205 * EF_{POL} * VM) / 2000$ 

V<sub>POL</sub>: Vehicle Emissions (TONs)

VMT<sub>VE</sub>: Vehicle Exhaust Vehicle Miles Travel (miles)

0.002205: Conversion Factor grams to pounds

EF<sub>POL</sub>: Emission Factor for Pollutant (grams/mile) VM: Vehicle Exhaust On Road Vehicle Mixture (%)

2000: Conversion Factor pounds to tons

#### **Worker Trips Emissions per Phase**

 $VMT_{WT} = WD * WT * 1.25 * NE$ 

VMT<sub>wT</sub>: Worker Trips Vehicle Miles Travel (miles)

WD: Number of Total Work Days (days)

WT: Average Worker Round Trip Commute (mile)

1.25: Conversion Factor Number of Construction Equipment to Number of Works

NE: Number of Construction Equipment

 $V_{POL} = (VMT_{WT} * 0.002205 * EF_{POL} * VM) / 2000$ 

V<sub>POL</sub>: Vehicle Emissions (TONs)

VMT<sub>VE</sub>: Worker Trips Vehicle Miles Travel (miles)

0.002205: Conversion Factor grams to pounds

EF<sub>POL</sub>: Emission Factor for Pollutant (grams/mile) VM: Worker Trips On Road Vehicle

Mixture (%)

2000: Conversion Factor pounds to tons

#### **Off-Gassing Emissions per Phase**

 $VOC_P = (2.62 * PA) / 43560$ 

VOC<sub>P</sub>: Paving VOC Emissions (TONs)

2.62: Emission Factor (lb/acre) PA: Paving Area (ft²)

43560: Conversion Factor square feet to acre (43560 ft2 / acre)<sup>2</sup> / acre)

#### **Building Construction Phase Formula(s) – Construction 6 to 13**

#### **Construction Exhaust Emissions per Phase**

 $CEE_{POL} = (NE * WD * H * EF_{POL}) / 2000$ 

CEE<sub>POL</sub>: Construction Exhaust Emissions (TONs) NE: Number of Equipment

WD: Number of Total Work Days (days)

H: Hours Worked per Day (hours)

EF<sub>POL</sub>: Emission Factor for Pollutant (lb/hour)

2000: Conversion Factor pounds to tons

Appendix F

#### Vehicle Exhaust Emissions per Phase

 $VMT_{VE} = BA * BH * (0.42 / \hat{1}000) * HT$ 

VMT<sub>VF</sub>: Vehicle Exhaust Vehicle Miles Travel (miles) BA: Area of Building (ft<sup>2</sup>)

BH: Height of Building (ft)

(0.42 / 1000): Conversion Factor ft<sup>3</sup> to trips (0.42 trip / 1000 ft<sup>3</sup>) HT: Average Hauling Truck Round Trip Commute (mile/trip)

 $V_{POL} = (VMT_{VE} * 0.002205 * EF_{POL} * VM) / 2000$ 

V<sub>POL</sub>: Vehicle Emissions (TONs)

VMT<sub>VE</sub>: Vehicle Exhaust Vehicle Miles Travel (miles)

0.002205: Conversion Factor grams to pounds

EF<sub>POL</sub>: Emission Factor for Pollutant (grams/mile) VM: Worker Trips On Road Vehicle

Mixture (%)

2000: Conversion Factor pounds to tons

#### **Worker Trips Emissions per Phase**

 $VMT_{WT} = \hat{WD} * WT * 1.25 * NE$ 

VMT<sub>WT</sub>: Worker Trips Vehicle Miles Travel (miles) WD: Number of Total Work Days (days)

WT: Average Worker Round Trip Commute (mile)

1.25: Conversion Factor Number of Construction Equipment to Number of Works

NE: Number of Construction Equipment

$$V_{POL} = (VMT_{WT} * 0.002205 * EF_{POL} * VM) / 2000$$

V<sub>POL</sub>: Vehicle Emissions (TONs)

VMT<sub>wT</sub>: Worker Trips Vehicle Miles Travel (miles)

0.002205: Conversion Factor grams to pounds

EF<sub>POL</sub>: Emission Factor for Pollutant (grams/mile) VM: Worker Trips On Road Vehicle

Mixture (%)

2000: Conversion Factor pounds to tons

#### **Vender Trips Emissions per Phase**

 $VMT_{VT} = BA * BH * (0.38 / 1000) * HT$ 

VMT<sub>VT</sub>: Vender Trips Vehicle Miles Travel (miles) BA: Area of Building (ft<sup>2</sup>)

BH: Height of Building (ft)

(0.38 / 1000): Conversion Factor ft<sup>3</sup> to trips (0.38 trip / 1000 ft<sup>3</sup>) HT: Average Hauling Truck Round Trip Commute (mile/trip)

 $V_{POL} = (VMT_{VT} * 0.002205 * EF_{POL} * VM) / 2000$ 

V<sub>POL</sub>: Vehicle Emissions (TONs)

VMT<sub>VT</sub>: Vender Trips Vehicle Miles Travel (miles)

0.002205: Conversion Factor grams to pounds

EF<sub>POL</sub>: Emission Factor for Pollutant (grams/mile) VM: Worker Trips On Road Vehicle

Mixture (%)

2000: Conversion Factor pounds to tons

#### Building Construction Phase Formula(s) – Construction 14 & 15

#### **Construction Exhaust Emissions per Phase**

 $CEE_{POL} = (NE * WD * H * EF_{POL}) / 2000$ 

F-38 Appendix F

CEE<sub>POL</sub>: Construction Exhaust Emissions (TONs) NE: Number of Equipment WD: Number of Total Work Days (days) H: Hours Worked per Day (hours)

EF<sub>POL</sub>: Emission Factor for Pollutant (lb/hour) 2000: Conversion Factor pounds to tons

#### Vehicle Exhaust Emissions per Phase

 $VMT_{VE} = BA * BH * (0.32 / 1000) * HT$ 

VMT<sub>vE</sub>: Vehicle Exhaust Vehicle Miles Travel (miles) BA: Area of Building (ft<sup>2</sup>)

BH: Height of Building (ft)

(0.32 / 1000): Conversion Factor ft<sup>3</sup> to trips (0.32 trip / 1000 ft<sup>3</sup>) HT: Average Hauling Truck Round Trip Commute (mile/trip)

 $V_{POL} = (VMT_{VE} * 0.002205 * EF_{POL} * VM) / 2000$ 

V<sub>POL</sub>: Vehicle Emissions (TONs)

VMT<sub>VE</sub>: Vehicle Exhaust Vehicle Miles Travel (miles)

0.002205: Conversion Factor grams to pounds

EF<sub>POL</sub>: Emission Factor for Pollutant (grams/mile) VM: Worker Trips On Road Vehicle

Mixture (%)

2000: Conversion Factor pounds to tons

#### **Worker Trips Emissions per Phase**

 $VMT_{WT} = \hat{WD} * WT * 1.25 * NE$ 

VMT<sub>WT</sub>: Worker Trips Vehicle Miles Travel (milesp) WD: Number of Total Work Days (days)

WT: Average Worker Round Trip Commute (mile)

1.25: Conversion Factor Number of Construction Equipment to Number of Works

NE: Number of Construction Equipment

 $V_{POL} = (VMT_{WT} * 0.002205 * EF_{POL} * VM) / 2000$ 

V<sub>POL</sub>: Vehicle Emissions (TONs)

VMT<sub>wT</sub>: Worker Trips Vehicle Miles Travel (miles)

0.002205: Conversion Factor grams to pounds

EF<sub>POL</sub>: Emission Factor for Pollutant (grams/mile) VM: Worker Trips On Road Vehicle

Mixture (%)

2000: Conversion Factor pounds to tons

#### **Vender Trips Emissions per Phase**

 $VMT_{VT} = BA * BH * (0.05 / 1000) * HT$ 

VMT<sub>VT</sub>: Vender Trips Vehicle Miles Travel (miles) BA: Area of Building (ft<sup>2</sup>)

BH: Height of Building (ft)

(0.05 / 1000): Conversion Factor ft<sup>3</sup> to trips (0.05 trip / 1000 ft<sup>3</sup>) HT: Average Hauling Truck Round Trip Commute (mile/trip)

 $V_{POL} = (VMT_{VT} * 0.002205 * EF_{POL} * VM) / 2000$ 

V<sub>POL</sub>: Vehicle Emissions (TONs)

VMT<sub>VT</sub>: Vender Trips Vehicle Miles Travel (miles)

0.002205: Conversion Factor grams to pounds

EF<sub>POL</sub>: Emission Factor for Pollutant (grams/mile) VM: Worker Trips On Road Vehicle

Appendix F F-39

Mixture (%)

2000: Conversion Factor pounds to tons

#### 3. General Conclusions

Short term construction emissions will occur over a 2 to 3 year period but since operation increases will be in a staged fashion, overall emissions per year will be smaller than the peak expected. Emissions from the increased operations will peak and be at a steady-state in 2021. Total emission increases for the region will be small.

F-40 Appendix F